

RECEIVED
CENTRAL FAX CENTER

JUN 27 2005

FACSIMILE TRANSMITTAL SHEET

SCHIFF HARDIN LLP

A Limited Liability Partnership Including Professional Corporations
8800 Sears Tower, Chicago, Illinois 60608-8473 312.258.5500
Facsimile: 312.258.5600 World Wide Web: <http://www.schiffhardin.com>

CLIENT/MATTER NO.: 27008-0037

DATE: Monday, June 27, 2005 11:28:50 AM

TO THE FOLLOWING:

NAME: Examiner Sophia Chen

COMPANY: USPTO

FACSIMILE NO.: 1 703 872 9306

COMPANY NO.:

FROM: Brett A. Valiquet

DIRECT DIAL NO.: 312.258.4968

Transmission consists of cover sheet plus 02 page(s).

If there are any problems with this transmission, please call 312.258.4968.

COMMENTS:

Thomas LAUSSERMAIR et al - P99,1927-02 USSN 10/647,821

IMPORTANT - THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT READING, DISSEMINATING, DISTRIBUTING OR COPYING THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

printing the optical information onto the recording carrier using optical readable toner or printing the magnetic information being printed onto the recording carrier using magnetic ink character recognition toner; and

testing by using at least one of magnetic test equipment for inspection and an optical image test equipment for inspection and wherein both the magnetic test equipment and the optical image test equipment are located in the printing line, and wherein the testing step is controlled by a controller which initiates print stops.

62. The method according to claim 61 wherein the magnetic test equipment and the optical image test equipment are located in a same box as a printing station for at least one of the optical information and the magnetic information.

63. The method according to claim 61 wherein the magnetic test equipment and the optical image test equipment are located in a stand-alone box separate from a printing station for at least one of the optical information and the magnetic information.

64. The method according to claim 61 wherein at least one of the testings is performed during a print stop.

65. A printing line, comprising:

a printing device for printing at least one of optical and magnetic information onto a recording carrier, the information being provided as a data stream from an electronic data source, the carrier comprising at least one of an optical recording zone and a magnetic recording zone;

an optical image test equipment for inspection located in line with the printing line and adapted to inspect print quality or to recognize printed contents of a document;

a magnetic test equipment for inspection located in line with the printing line and adapted to detect magnetic information printed on the recording carrier;

a character recognition device connected to a document contents verification unit which is adapted to compare the information detected by the character recognition device with the information provided as a data stream from the electronic data source; and

the optical image test equipment and the magnetic test equipment being located in the stand-alone box separate from the printing device.

66. A printing line, comprising:

a printing device for printing at least one of optical and magnetic information onto a recording carrier, the information being provided as a data stream from an electronic data source, the carrier comprising at least one of an optical recording zone and a magnetic recording zone;

an optical image test equipment for inspection located in line with the printing line and adapted to inspect print quality or to recognize printed contents of a document;

a magnetic test equipment for inspection located in line with the printing line and adapted to detect magnetic information printed on the recording carrier;

67. A printing line, comprising:

a printing device for printing at least one of optical and magnetic information onto a recording carrier, the information being provided as a data stream from an electronic data source, the carrier comprising at least one of an optical recording zone and a magnetic recording zone;

an optical image test equipment for inspection located in line with the printing line and adapted to inspect print quality or to recognize printed contents of a document;

a magnetic test equipment for inspection located inline with the printing line and adapted to detect magnetic information printed on the recording carrier;

a controller which controls a carrier transport unit to transport the recording carrier upon receipt of a test signal to a predetermined position with respect to at least one of the test equipments before a testing is initiated; and

the optical image test equipment and the magnetic test equipment being located in a stand-alone box separate from the printing device.

68. The printing line according to claim 67 wherein the magnetic test equipment and the optical image test equipment are provided at both sides of the web-shape recording carrier.

69. A printing line, comprising:

a printing device for printing at least one of optical and magnetic information onto a recording carrier, the information being provided as a data stream from an electronic data source, the carrier comprising at least one of an optical recording zone and a magnetic recording zone;

an optical image test equipment for inspection located in line with the printing line and adapted to inspect print quality or to recognize printed contents of a document;

a magnetic test equipment for inspection located in line with the printing line and adapted to detector magnetic information printed on the recording carrier;

a controller which controls a carrier transport unit to transport the recording carrier upon receipt of a test signal to a predetermined position with respect to at least one of the test equipments before a testing is initiated; and

the optical image test equipment comprises a bar code scanner and a CCD camera and the magnetic test equipment comprises a magnetic image character reader.